



# FutureCom™ Extra Short Connection Cords, FRNC, RJ45 - RJ45 connector Grey, 0.3 m



Part Number:  
CCACGB-G1002-A003-00




FutureCom™ Extra Short Connection Cords, FRNC, RJ45 - RJ45 connector, grey, 0.3 m



FutureCom™ Extra Short Connection Cords, FRNC, RJ45 - RJ45 connector, grey, 0.3 m

# FutureCom™ Extra Short Connection Cords, FRNC, RJ45 - RJ45 connector Grey, 0.3 m



FutureCom™ Extra Short Connection Cords, FRNC, RJ45 - RJ45 connector, grey, 0.3 m

## Specifications

General Specifications	
Cable assembly type	Patch cords
Environment	Indoor
Cable type	S/FTP
Halogen-free	Yes

Mechanical Specifications	
Min. bend radius installation	47 mm

Specifications - Connector A	
Connector type	RJ45 - 8/8
Durability Cycles	750 N/A

# FutureCom™ Extra Short Connection Cords, FRNC, RJ45 - RJ45 connector Grey, 0.3 m



## Cable Design

Conductor insulation	Halogen-free foam-skin material
Conductor	Copper Wire, AWG 26/7
Outer jacket material	LSZH™/FRNC
Outer jacket colour	Grey

## Specifications - Connector B

Connector type	RJ45 - 8/8
Durability Cycles	750 N/A

## Environmental Conditions

Temperature range, operation	-20 °C to 60 °C
------------------------------	-----------------

## Electrical Specifications

Insulation resistance	5000 MΩ*km
-----------------------	------------



Corning Optical Communications GmbH & Co. KG • Lelpziger Strasse 121 • 10117 Berlin, Germany  
+00 800 2675 4641 • FAX: +49 30 5303 2335 • [www.corning.com/opcomm/emea](http://www.corning.com/opcomm/emea)

A complete listing of the trademarks of Corning Optical Communications is available at [www.corning.com/opcomm/emea/trademarks](http://www.corning.com/opcomm/emea/trademarks). Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2022 Corning Optical Communications. All rights reserved.