

Standard FutureCom™ LANscape® Patch Panels

19" Grey



Part Number:
WAXWSV-02403-C001

The FutureCom™ patch panel is universally applicable for all 19-in racks and LAN-cabinets. This allows the free user-specific configuration of building and floor distributors. The front panel is electrically leading. Integrated grounding points are available at the back. Likewise for grounding 2 latches are available for flat connectors. Particularly to emphasize is the simple and fast installation and clicking of the modules into the patch panel.

Features and Benefits

- Universally applicable for all 19" rack
- Suitable for all LANscape modules (FO and Copper)
- Quick mount feature for easy one-person installation
- Conductive front panel
- Integrated cable strain relief
- Two standardised grounding lashes for flat plugs
- Integrated earthing points on the back side
- Port numbering above and below ports
- Space above ports can be used for customised labelling

Standard FutureCom™ LANscape® Patch Panels

19" Grey

CORNING

Specifications

Environmental Conditions

| | |
|-----------------------------|------------|
| Environmental compatibility | Recyclable |
|-----------------------------|------------|

Design

| | |
|------------------|-----------------------|
| Housing material | High-grade steel |
| Height Unit | 1 U |
| Colour | Light basic, RAL 7035 |
| Number of ports | 24 |

Mechanical Specifications

| | |
|------------------|------------------|
| Cut Out | LANscape® |
| Housing material | High-grade steel |

General Specifications

| | |
|------------------|--------------|
| Product category | Core product |
| Environment | Indoor |

Dimensions

| | |
|--------|--------|
| Height | 152 mm |
| Width | 44 mm |
| Depth | 483 mm |

Ordering Information

| | |
|----------------|-------------------|
| Product Number | WAXWSV-02403-C001 |
| EAN Code | 4042673610762 |

Standard FutureCom™ LANscape® Patch Panels

19" Grey



| Ordering Information | |
|----------------------|-----|
| Units per delivery | 1/1 |

| Standards | |
|-----------|---|
| RoHS | Free of hazardous substances according to RoHS 2011/65/EU |



Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
+00 800 2675 4641 • FAX: +49 30 5303 2335 • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2022 Corning Optical Communications. All rights reserved.